

## Application for High Capacity Well Approval

Form 3300-256 (R 9/02)

Page 1 of 6

**Notice:** Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

**Applicant Information**

Application Prepared By (Name and Title) Terry L. Marshall - President		Company Marshall Well Drilling Corp.	
Street Address 3774 State Rd. 13		City Wis. Dells	State ZIP Code WI 53965
Telephone Number 608-253-2751	Fax Number 608-254-2755	E-Mail Address admin@marshallwelldrillingcorp.com	

**Property Ownership Information**

Property owner, if different than applicant (Name and Title) Rosa Maria Siriann Owner		Company Hydaway Pines MHC	
Street Address 3762 9 <sup>th</sup> Ave #31		City WI. Dells	State ZIP Code WI 53965
Telephone Number 608-254-8343	Fax Number —	E-Mail Address SIRIANNR@yahoo.com	

**Well Operator Information**

Well operator if different than owner (Name and Title) Marie Siriann Owner		Company Hydaway Pines MHC	
Street Address 3762 9 <sup>th</sup> Ave #31		City WI. Dells	State ZIP Code WI 53965
Telephone Number 608-254-8343	Fax Number —	E-Mail Address same as above	

**Property Information**

Enter the High Capacity Well File Number below if the property is already a high capacity property. If the property is not designated as a high capacity property at the time of application, enter "NONE." **NOTE:** Find the file number in upper right hand corner of the most recent high capacity well approval, or use the compact disk of departmental well data that is issued to drillers and pump installers. On the compact disk, see "File location" in red print in "Location" section. File number format is as follows: (1 or 2 digits for county) - (1 digit for well classification) - (1 to 4 digits for assigned property number).

High Capacity Well File No. N/A	County Adams	Town Dell Prairie
------------------------------------	-----------------	----------------------

**Submittal Purpose**

Check all that apply:

- ☐ Install one or more new wells with a capacity greater than 70 gallons per minute.
- ☒ Install one or more new wells with a capacity less than 70 gallons per minute on a high capacity property, To BE
- ☐ Replace one or more wells with a capacity greater than 70 gallons per minute.
- ☐ Replace one or more wells with a capacity less than 70 gallons per minute on a high capacity property.
- ☐ Reconstruct one or more wells with a capacity greater than 70 gallons per minute.
- ☐ Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.
- ☐ Increase pumping rate in one or more wells to a rate greater than previously approved.
- ☐ Request continued operation of high capacity wells after a change in ownership.

**Site Status Information**

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers and the information supplied by the property owner. Internet address is [www.dnr.state.wi.us/org/water/dwg/dws.htm](http://www.dnr.state.wi.us/org/water/dwg/dws.htm). Enter YES or NO for each of the following questions.

YES NO

- ☐ ☒ Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.
- ☐ ☒ Has there been a change in well ownership since the last approval was written?  
If YES, name of current owner: \_\_\_\_\_ Date of purchase: \_\_\_\_\_
- ☐ ☒ Has there been a change in well operator since the last approval was written?  
If YES, name of current operator: \_\_\_\_\_ Date of change: \_\_\_\_\_
- ☐ ☒ Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.
- ☐ ☒ Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.  
If YES, list the landfill site ID Number: \_\_\_\_\_ OR Landfill location: (Township/Range/Section) \_\_\_\_\_
- ☐ ☒ Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here: \_\_\_\_\_
- ☐ ☒ Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program: \_\_\_\_\_
- ☐ ☒ Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at [gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm](http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm). If YES, list the BRRTS Number here: \_\_\_\_\_
- ☐ ☒ Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.
- ☐ ☒ Is the well (or wells) for a school or wastewater treatment plant? See definitions on page 5.
- ☐ ☒ Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.
- ☐ ☒ Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?
- ☐ ☒ Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.
- ☐ ☒ Is a non-pressurized storage vessel (i.e. reservoir) proposed or in use?
- ☐ ☒ Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?
- ☐ ☒ Is a proposed well within 1,200 feet of a quarry?
- ☐ ☒ Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?
- ☒ ☐ Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards? If so, attach a separate written request for that variance.

## Existing Well Information

Enter the following information on all existing wells on the property, if more than four wells, submit additional sheets:

Well Name Assigned by Well Owner (North Well, etc.):	NORTH WELL			
Well Number Assigned by Owner (001, 002, etc.):	001			
WI Unique Well Number or NA if no number:	N/A			
Permanent DNR High Capacity Well Number or N/A if none:	N/A			
Public Water System ID Number, if Public (if not public, NONE):	70105882 ← THIS P.T. # WILL BE REMOVED WHEN THE SUBJECT IS DONE + THE PARK WILL BE ON PRIVATE SYSTEMS.			
Potable or Non-Potable Use:	POTABLE			
Type of Well (Irrigation, Industrial, Residential, etc.):	RESIDENTIAL ← CURRENTLY SERVING 22 MOBILE HOMES AFTER THE 2-6" WELLS ARE DRILLED - IT WILL SERVE 4 MOBILE HOMES			
Requested Average Water Usage per Day in Gallons:	18,000 GAL.			
Requested Maximum Water Usage per Day in Gallons:	28,800 GAL.			
Seasonal? (April to October, Year Around, etc.):	YEAR AROUND			
Approved Pumping Capacity if Previously Approved (gpm):	—			
Current Pump Type & Capacity (gpm):	SUBMERSIBLE - 20 GPM			
Proposed Pump Type & Capacity if Change Requested (gpm):	—			
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	OVER TOP			
Discharge Location (Building Pressure Tank, Pond, etc.):	BUILDING PRESSURE TANK 300 GAL. CRAWLER TANK			
Height of Well Casing Above Ground in Inches:	8"			
Potential Contaminant Sources and Distance:	SEE ATTACHED PLAN SHEET			
Well Loc: Quarter Quarter Section or Government Lot Number	NW 1/4 of SW 1/4	1/4 of 1/4	1/4 of 1/4	1/4 of 1/4
Section or French Long Lot No.	11			
Township:	T 14 N	T N	T N	T N
Range (Circle E or W):	R 6 SE or W	R E or W	R E or W	R E or W
Latitude (Deg, Min, Seconds)	43 Deg 42' 278"	Deg ' "	Deg ' "	Deg ' "
Longitude (Deg, Min, Sec)	089 Deg 45' 352"	Deg ' "	Deg ' "	Deg ' "
Include as much of the following information as practical for wells that do not have well construction records attached to the application, however if the well construction record is attached, applicant may leave the following rows blank.				
Date of Construction:	PRE-1975 - WELL CONSTRUCTION REPORT UNAVAILABLE			
Drilled by (Name of Drilling Firm):	ACE WELL DRILLING			
Drilling Method(s) (Rotary, Percussion, Etc.):	ROTARY			
Well Depth in Feet:	118			
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	Inches, feet			
Lower Drillhole Diameter in Inches and Depth in Feet:	Inches, feet			
Well Casing Diameter in Inches and Depth in Feet:	4 inches, 115 feet			
Well Casing Material and Wall Thickness:	STEEL - .237 WALL			
Annular Space Material Between Casing and Drillhole Wall:	UNKNOWN			
Is There a Well Screen (Y or N) If so, Screen Material?:	YES - STAINLESS STEEL - 3' LONG			

**Proposed Well Information**

Enter the following information on all proposed wells on the property, if more than two wells or alternate construction, submit additional sheets:

Well Name Assigned by Well Owner (North Well, etc.):	WEST WELL	EAST WELL
Well Number Assigned by Owner (001, 002, etc.):	002	003
Well Loc: Quarter Quarter Section or French Long Lot Number	NW 1/4 of SW 1/4 of Section 11	NW 1/4 of SW 1/4 of Section 11
or Government Lot Number		
Township & Range (Circle E or W)	T 14 N, R 6 (E) or W	T 14 N, R 6 (E) or W
Latitude (Deg, Min, Seconds)	43 Deg 42' 27.8"	43 Deg 42' 27.1"
Longitude (Deg, Min, Sec)	089 Deg 45' 35.6"	089 Deg 45' 33.9"
Type of Well (Irrigation, Industrial, Residential, etc.):	RESIDENTIAL Potable <input checked="" type="checkbox"/> Non-Potable <input type="checkbox"/>	RESIDENTIAL Potable <input checked="" type="checkbox"/> Non-Potable <input type="checkbox"/>
Drilling Method(s) (Rotary, Percussion, Etc.):	9 - MOBILE HOMES	9 - MOBILE HOMES
Anticipated Geological Materials and Depths that Are Expected During Drilling:	ROTARY - DRILL THROUGH CASING HAMMER	ROTARY - DRILL THROUGH CASING HAMMER
Material and Depth Interval:	SAND & GRAVEL from 0' to 75'	SAND & GRAVEL from 0' to 75'
Material and Depth Interval:	FINE SAND from 70' to 85'	FINE SAND from 75' to 85'
Material and Depth Interval:	CLAY from 85' to 95'	CLAY from 85' to 95'
Material and Depth Interval:	COARSE SAND from 95' to 140'	COARSE SAND from 95' to 140'
Material and Depth Interval:	FINE SAND from 140' to 180'	FINE SAND from 140' to 180'
Material and Depth Interval:	COARSE SAND & GRAVEL from 180' to 190'	COARSE SAND & GRAVEL from 180' to 190'
Drillhole Diameter and Anticipated Depth Intervals:		
Diameter and Depth Interval:	9 1/2" from 0' to 8'	9 1/2" from 0' to 8'
Diameter and Depth Interval:	6" from 8' to 190'	6" from 8' to 190'
Diameter and Depth Interval:	from ' to '	from ' to '
Permanent Casing or Liner Diameter and Wall Thickness at Anticipated Depth Intervals:		
Diameter and Wall Thickness at Depth Interval:	6" diam/ .280" thick 0' to 186'	6" diam/ .280" thick 0' to 186'
Diameter and Wall Thickness at Depth Interval:	" diam/ " thick ' to '	" diam/ " thick ' to '
Permanent Casing or Liner Material, if Used:		
Material and Weight at Depth Interval:	STEEL 118.97 lbs/foot 0' to 186'	STEEL 118.97 lbs/foot 0' to 186'
Material and Weight at Depth Interval:	1 lbs/foot ' to '	1 lbs/foot ' to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	STAINLESS 1.010" 186' to 190'	STAINLESS 1.010" 186' to 190'
Annular Space Material Including Filter Pack Material, if Used:		
Material and Depth Interval:	#8 GRANULAR BENT. 1 0' to 8'	#8 GRANULAR BENT. 1 0' to 8'
Material and Depth Interval:	1 ' to '	1 ' to '
Material and Depth Interval:	1 ' to '	1 ' to '
Proposed Average Water Usage Per Day in Gallons:	40,000 GAL.	40,000 GAL.
Proposed Maximum Water Usage Per Day in Gallons:	64,800 GAL.	64,800 GAL.
Seasonal? (April to October, Year Around, etc.):	YEAR AROUND	YEAR AROUND
Proposed Pump Type & Capacity (gpm):	3 HP SUBMERSIBLE - 45 GPM	3 HP SUBMERSIBLE - 45 GPM
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	PITLESS ADAPTER	PITLESS ADAPTER
Discharge Location (Building Pressure Tank, Pond, etc.):	2 - WK-360 BUILDING PRESSURE TANKS	2 - WK-360 BUILDING PRESSURE TANKS
Distance and Direction to Nearest Public Utility Well & Well Name:	4 MILES - SOUTH WEST - WIS. PULS	4 MILES - SOUTH WEST - WIS. PULS
Distance to Other Potential Contaminant Sources:	SEE ATTACHED PLAN SHEET	SEE ATTACHED PLAN SHEET
Distance to Other Potential Contaminant Sources:	—	—
Leave Blank, for Department use only		



**Required Attachments**

1. Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
4. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
5. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.

**Certification and Applicant Signatures**

If the application requests a variance to construct a well to low capacity well standards on a high capacity property, a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print

Check Box

x Rosamaria Siriano Thomas D Siriano ☒ Owner ☐ Agent of the Owner

Signature

Date

x Rosamaria Siriano 2/16/2013

Application submittal. Mail completed application with all required attachments to DNR, Private Water Systems Section - DG/2, PO Box 7921, Madison WI 53707-7921.

**Definitions from Wisconsin Administrative Codes**

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]


"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]




T.14N.-R.5-6E.



**(608) 253-1951**

WV  
C  
P co.

**wisconsin  
valley  
concrete  
products  
co.**



- Quality Ready Mix Concrete Year Round
- Face Brick & Concrete Block
- Concrete Coatings & Restoration Systems
- Fireplace Material
- Milwaukee & Goldblatt Tools
- Reinforcing Mesh & Rods
- Water Proofing Materials
- Masonry & Portland Cement
- Authorized Toll Repair:  
Milwaukee, Black & Decker and Dewalt

(608) 339-6276 • (800) 472-3679 • 603 South Main Street, Adams, WI 53910